

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 1 / 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Polarshine 45 Polishing Compound

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Polishing agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Best Abrasives
Address: 29 Production Avenue, Kogarah NSW, Kogarah NSW 2217,
Australia Phone: + 61 2 8036 8478

Address enquiries to

Technical information

Best Abrasives

Safety Data Sheet

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

CHEMTREC Australia (Sydney): +(61)-290372994 (English) Multilingual
response for emergency calls only.
Non-emergency calls cannot be serviced at these numbers.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flam. Liq. 4: H227 Combustible Liquid.

2.2 Label elements

The product is required to be labelled in accordance with Model Work Health and Safety
Regulations (WHS - GHS 7) Australia.

Hazard pictograms

none

Signal word

WARNING

Hazard statements

H227 Combustible Liquid.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
smoking.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves.
P370+P378 In case of fire: Use Water spray, Carbon dioxide, Foam, Dry chemical for
extinction.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international
regulation.

Special labelling

AUH066 Repeated exposure may cause skin dryness or cracking.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 2 / 14

2.3 Other hazards

Human health dangers	Has a degreasing effect on the skin. Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).
Environmental hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
30 - < 40	Aluminium oxide CAS: 1344-28-1
15 - < 20	Distillates (petroleum), hydrotreated light CAS: 64742-47-8
10 - < 15	White mineral oil (petroleum) CAS: 8042-47-5
1 - < 3	Terpineol CAS: 8000-41-7

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 3 / 14

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Hazchem Code not applicable

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid spilling in enclosed areas.
Use solvent-resistant equipment.
During mechanical processing vacuuming at processing machines is necessary.
Avoid contact with eyes and skin. Use personal protective equipment.
Keep away from open flames, hot surfaces and sources of ignition.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 4 / 14

7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.

Prevent penetration into the ground.

Keep only in original container.

Do not store together with oxidizing agents.

Protect from heat/overheating.

Keep container in a well-ventilated place.

Keep container tightly closed.

Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 5 / 14

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (AU)

Substance
Aluminium oxide
CAS: 1344-28-1
Time Weighted Average (TWA): 10 mg/m ³ , (a)
Naphtha (petroleum), hydrotreated heavy, CAS 64742-48-9 / Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics, EC / List no.: 918-481-9
Time Weighted Average (TWA): 184 ppm, 1200 mg/m ³ , (Manufacturer information)
White mineral oil (petroleum)
CAS: 8042-47-5
Time Weighted Average (TWA): 5 mg/m ³ , A, Oil mist, refined mineral

DNEL

Substance
Aluminium oxide, CAS: 1344-28-1
Industrial, inhalative (dust), Long-term - systemic effects, 15.63 mg/m ³ (AF=3)
Industrial, inhalative (dust), Long-term - local effects, 15.63 mg/m ³ (AF=3)
general population, oral, Long-term - systemic effects, 6.58 mg/m ³ (AF=20)
White mineral oil (petroleum), CAS: 8042-47-5
Industrial, inhalative, Long-term - systemic effects, 164.56 mg/m ³
Industrial, dermal, Long-term - systemic effects, 217.05 mg/kg bw/day
general population, oral, Long-term - systemic effects, 25 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 93.02 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 34.78 mg/m ³
Terpineol, CAS: 8000-41-7
Industrial, dermal, Long-term - systemic effects, 6.36 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 44.8 mg/m ³
general population, oral, Long-term - systemic effects, 2.69 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 2.69 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 7.96 mg/m ³

PNEC

Substance
Aluminium oxide, CAS: 1344-28-1
There are no PNEC values established for the substance.
Terpineol, CAS: 8000-41-7
oral (food), 16.6 mg/kg food
soil, 0.045 mg/kg soil dw
sediment (seawater), 0.026 mg/kg sediment dw
sediment (freshwater), 0.263 mg/kg sediment dw
sewage treatment plants (STP), 2.57 mg/L
freshwater, 12 µg/L
seawater, 1.2 µg/L

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 6 / 14

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.11 mm. Butyl rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale dust. Do not inhale vapours. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of high concentrations. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Form	liquid
Color	white
Odor	odourless
Odour threshold	No information available.
pH-value	2.5 - 4.5
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	> 65 °C / >149 °F
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	ca. 1.23
Relative density	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not applicable
Kinematic viscosity	>20.5 mm ² /s (40°C/ 104°F)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 7 / 14

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 8 / 14

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product
ATE-mix, oral, > 5000 mg/kg
Substance
Aluminium oxide, CAS: 1344-28-1
LD50, oral, Rat, > 5000 mg/kg
White mineral oil (petroleum), CAS: 8042-47-5
LD50, oral, Rat, > 5000 mg/kg
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LD50, oral, Rat, > 5000 mg/kg
Terpineol, CAS: 8000-41-7
LD50, oral, Rat, > 5000 mg/kg

Acute dermal toxicity

Product
ATE-mix, dermal, > 5000 mg/kg
Substance
White mineral oil (petroleum), CAS: 8042-47-5
LD50, dermal, Rabbit, > 2000 mg/kg
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LD50, dermal, Rabbit, > 5000 mg/kg
Terpineol, CAS: 8000-41-7
LD50, dermal, Rat, > 5000 mg/kg

Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Aluminium oxide, CAS: 1344-28-1
LC50, inhalative, Rat, > 5 mg/m ³
White mineral oil (petroleum), CAS: 8042-47-5
LC50, inhalative, Rat, 5 mg/L/4h
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LC50, inhalative, Rat, > 5000 mg/m ³

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
no adverse effect observed

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 9 / 14

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
no adverse effect observed

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
inhalative, non-sensitizing
dermal, non-sensitizing
White mineral oil (petroleum), CAS: 8042-47-5
no adverse effect observed

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
no adverse effect observed

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
NOAEC, inhalative, Rat, 75 mg/m ³ , no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1200 mg/kg bw/day, no adverse effect observed

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
NOAEL, oral, Rat, 1004 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed
NOAEL, oral, Rat, 567 mg/kg bw/d (Effect on fertility), no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
inhalative, no adverse effect observed

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks Frequent persistent contact with the skin can cause skin irritation.

Toxicological data of complete product are not available.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 10 / 14

SECTION 12: Ecological information

12.1 Toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LL50, (48h), Daphnia magna, 100 mg/L
LL50, (96h), fish, 100 - 10000 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	CAS 64742-47-8: 80%. 28d CAS 8042-47-5: The product is not readily biodegradable. CAS 8000-41-7: 80%. 28d (OECD 310)

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Disposal of this product must comply with the requirements of state and local disposal regulations.
Contaminated packaging	Rinse containers with water before disposal. Preferably re-cycle container, otherwise send to landfill or similar.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 11 / 14

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) not applicable

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 12 / 14

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

SECTION 15: Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) not applicable

Applicable prohibitions and notifications/licensing requirements not applicable

Agricultural and Veterinary Chemicals Act not applicable

Listing in the Australian Inventory of Chemical Substances (AICS) All chemical substances in this product are included on Australian Inventory of Industrial Chemicals (Inventory).

Additional information none

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 13 / 14

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Flam. Liq. 4: H227 Combustible Liquid. (Expert judgement)

Modified position

SECTION 2 been added: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 2 been added: Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).

SECTION 2 been added: Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).

SECTION 3 deleted: For full text of H-statements: see SECTION 16.

SECTION 12 been added: Based on all available information not to be classified as PBT or vPvB respectively.

SECTION 12 been added: Spillages may penetrate the soil causing ground water contamination.

SECTION 13 been added: Disposal of this product must comply with the requirements of state and local disposal regulations.

SECTION 13 been added: There are no product-specific restrictions. However, state and local disposal regulations may apply.

SECTION 13 deleted: There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.

Mirka Ltd
66850 Jeppo

Date printed 20.12.2022, Revision 19.12.2022

Version 04. Supersedes version: 03

Page 14 / 14

