

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 1 / 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Polarshine 10 Polishing Compound

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Polishing agent

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company

Best Abrasives
Address: 29 Production Avenue, Kogarah NSW, Kogarah NSW 2217, Australia
Phone: + 61 2 8036 8478

Address enquiries to

Technical information

Best Abrasives

Safety Data Sheet

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

For Chemical Emergency: spill, leak, fire, exposure or accident call CHEMTREC day or night: Within USA and Canada: +1 800 424 9300; Outside USA and Canada: +1 703 527 3887
(collect calls accepted)
CHEMTREC Australia (Sydney): +(61)-290372994 (English)
Multilingual response for emergency calls only.
Non-emergency calls cannot be serviced at these numbers.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flam. Liq. 4: H227 Combustible Liquid.
Eye Irrit. 2: H319 Causes serious eye irritation.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 2 / 15

2.2 Label elements

The product is required to be labelled in accordance with Model Work Health and Safety Regulations (WHS - GHS 7) Australia.

Hazard pictograms



Signal word

WARNING

Contains:

Alcohols, C13 (branched), ethoxylated (1 - < 3%)

Hazard statements

H227 Combustible Liquid.
H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice / attention.
P370+P378 In case of fire: Use Water spray, Carbon dioxide, Foam, Dry chemical for extinction.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

Special labelling

AUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

Human health dangers

Has a degreasing effect on the skin.
Frequent persistent contact with the skin can cause skin irritation.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - < 25	Distillates (petroleum), hydrotreated light CAS: 64742-47-8
10 - < 20	Aluminium oxide CAS: 1344-28-1
1 - < 10	White mineral oil (petroleum) CAS: 8042-47-5
1 - < 5	Glycerol CAS: 56-81-5
1 - < 3	Alcohols, C13 (branched), ethoxylated CAS: 69011-36-5

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 3 / 15

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.
Collect contaminated firefighting water separately, must not be discharged into the drains.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Hazchem Code not applicable

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance within the regulations.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 4 / 15

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid spilling in enclosed areas.
Use solvent-resistant equipment.
During mechanical processing vacuuming at processing machines is necessary.
Avoid contact with eyes and skin. Use personal protective equipment.
Keep away from all sources of ignition - Refrain from smoking.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.
Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.
Prevent penetration into the ground.
Keep only in original container.
Do not store together with oxidizing agents.
Protect from heat/overheating.
Keep container in a well-ventilated place.
Keep container tightly closed.
Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 5 / 15

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (AU)

Substance
Distillates (petroleum), hydrotreated light
CAS: 64742-47-8
Time Weighted Average (TWA): 100 ppm, 525 mg/m ³ , OSHA
Aluminium oxide
CAS: 1344-28-1
Time Weighted Average (TWA): 10 mg/m ³ , (a)
Glycerol
CAS: 56-81-5
Time Weighted Average (TWA): 10 mg/m ³ , Glycerin mist (a)
White mineral oil (petroleum)
CAS: 8042-47-5
Time Weighted Average (TWA): 5 mg/m ³ , A, Oil mist, refined mineral

DNEL

Substance
Aluminium oxide, CAS: 1344-28-1
Industrial, inhalative (dust), Long-term - systemic effects, 15.63 mg/m ³ (AF=3)
Industrial, inhalative (dust), Long-term - local effects, 15.63 mg/m ³ (AF=3)
general population, oral, Long-term - systemic effects, 6.58 mg/m ³ (AF=20)
White mineral oil (petroleum), CAS: 8042-47-5
Industrial, inhalative, Long-term - systemic effects, 164.56 mg/m ³
Industrial, dermal, Long-term - systemic effects, 217.05 mg/kg bw/day
general population, oral, Long-term - systemic effects, 25 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 93.02 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 34.78 mg/m ³

PNEC

Substance
Aluminium oxide, CAS: 1344-28-1
There are no PNEC values established for the substance.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 6 / 15

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0.4 mm: Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 7 / 15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid pasty
Form	pasty
Color	white
Odor	mild
Odour threshold	No information available.
pH-value	7-8
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	> 65°C / > 149°F
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	ca. 1.0
Relative density	No information available.
Bulk density [kg/m ³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not applicable
Kinematic viscosity	>20.5 mm ² /s (40°C/ 104°F)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 8 / 15

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.



Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0

Page 9 / 15

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product
ATE-mix, oral, > 5000 mg/kg
Substance
Aluminium oxide, CAS: 1344-28-1
LD50, oral, Rat, > 5000 mg/kg
White mineral oil (petroleum), CAS: 8042-47-5
LD50, oral, Rat, > 5000 mg/kg
Glycerol, CAS: 56-81-5
LD50, oral, Rat, 12600 mg/kg (IUCLID)
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LD50, oral, Rat, > 5000 mg/kg bw
Alcohols, C13 (branched), ethoxylated, CAS: 69011-36-5
LD50, oral, Rat, 500 - 2000 kg/kg bw

Acute dermal toxicity

Product
ATE-mix, dermal, > 5000 mg/kg
Substance
White mineral oil (petroleum), CAS: 8042-47-5
LD50, dermal, Rabbit, > 2000 mg/kg
Glycerol, CAS: 56-81-5
LD50, dermal, Rabbit, > 18700 mg/kg (IUCLID)
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LD50, dermal, Rabbit, > 5000 mg/kg bw
Alcohols, C13 (branched), ethoxylated, CAS: 69011-36-5
LD50, dermal, > 2000 mg/kg

Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Aluminium oxide, CAS: 1344-28-1
LC50, inhalative, Rat, > 5 mg/m ³
White mineral oil (petroleum), CAS: 8042-47-5
LC50, inhalative, Rat, 5 mg/L/4h
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
LC50, inhalativ (vapour), Rat, > 5000 mg/m ³

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0 Page 10 / 15

no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
no adverse effect observed

Serious eye damage/irritation Irritant
Calculation method

Substance
Aluminium oxide, CAS: 1344-28-1
no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
no adverse effect observed

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
inhalative, non-sensitizing
dermal, non-sensitizing
White mineral oil (petroleum), CAS: 8042-47-5
no adverse effect observed

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
no adverse effect observed

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
NOAEC, inhalative, Rat, 75 mg/m ³ , no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1200 mg/kg bw/day, no adverse effect observed

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
NOAEL, oral, Rat, 1004 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed
NOAEL, oral, Rat, 567 mg/kg bw/d (Effect on fertility), no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
inhalative, no adverse effect observed

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

--

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0 Page 11 / 15

General remarks

Frequent persistent contact with the skin can cause skin irritation.
Has a degreasing effect on the skin.

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LL50, (48h), Daphnia magna, 100 mg/L
LL50, (96h), fish, 100 - 10000 mg/L
Glycerol, CAS: 56-81-5
LC50, (24h), Carassius auratus, > 5000 mg/l
EC50, (72h), Bacteria, > 10000 mg/l
EC50, (48h), Algae, > 2900 mg/l
EC50, (24h), Daphnia magna, > 10000 mg/l
Distillates (petroleum), hydrotreated light, CAS: 64742-47-8
EL0, (48h), Daphnia magna, 1000 mg/l
EL0, (72h), Pseudokirchneriella subcapitata, 1000 mg/l
LL0, (96h), Oncorhynchus mykiss, 1000 mg/l

12.2 Persistence and degradability

Behaviour in environment compartments

No information available.

Behaviour in sewage plant

No information available.

Biological degradability

CAS 64742-7-8 - Biodegradable.
CAS 8042-47-5 - The product is not readily biodegradable.
CAS 56-81-5 - Biodegradable.
CAS 69011-36-5 - Biodegradable.
CAS 1344-28-1 - The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0 Page 12 / 15

SECTION 13: Disposal considerations

Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Disposal of this product must comply with the requirements of state and local disposal regulations.
Contaminated packaging	Rinse containers with water before disposal. Preferably re-cycle container, otherwise send to landfill or similar.

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable
Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG)	not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG)	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable
Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG)	not applicable

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0 Page 13 / 15

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) not applicable

Applicable prohibitions and notifications/licensing requirements not applicable

Agricultural and Veterinary Chemicals Act not applicable

Listing in the Australian Inventory of Chemical Substances (AICS) All chemical substances in this product are included on Australian Inventory of Industrial Chemicals (Inventory).

Additional information not applicable

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0 Page 14 / 15

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Customs Tariff

34.05.30.00

Classification procedure

Flam. Liq. 4: H227 Combustible Liquid. (Expert judgement)
Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

SECTION 3 been added: Alcohols, C13 (branched), ethoxylated
SECTION 3 deleted: Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, branched /
SECTION 2 been added: P102 Keep out of reach of children.
SECTION 2 been added: P101 If medical advice is needed, have product container or label at hand.
SECTION 5 been added: Collect contaminated firefighting water separately, must not be discharged into the drains.
SECTION 12 been added: Based on all available information not to be classified as PBT or vPvB respectively.
SECTION 13 been added: Dispose of contents/container in accordance with local/national regulation.

Mirka Ltd
66850 Jeppo

Date printed 05.01.2023, Revision 08.12.2022

Version 5.0 Page 15 / 15

