Mirka Ltd

66850 Jeppo

MIRKA

Date	printed 09.12.2022, Revision 09.12.202	2 Version 04. Supersedes version: 03 Page 1	/ 14
SEC	TION 1: Identification of the subs	tance/mixture and of the company/undertaking	
.1	Product identifier		
		Polarshine 12 Polishing Compound	
.2	Relevant identified uses of the s	substance or mixture and uses advised against	
.2.1	Relevant uses		
		Polishing agent	
.2.2	2 Uses advised against		
		None known.	
.3	Details of the supplier of the saf	-	
	Company	Best Abrasives Address: 29 Production Avenue, Kogarah NSW, Kogarah NSW 2217, Australia Phone: + 61 2 8036 8478	
	Address enquiries to		
	Technical information	Best Abrasives	
	Safety Data Sheet	Safety data sheets are available from the supplier.	
.4	Emergency telephone number	For Chamical Emergency: anill look, fire, expensive or assident call CHEMTREC day or	
	Advisory body	For Chemical Emergency: spill, leak, fire, exposure or accident call CHEMTREC day or night: Within USA and Canada: +1 800 424 9300; Outside USA and Canada: +1 703 527	
		3887 (collect calls accepted)	
		CHEMTREC Australia (Sydney): +(61)-290372994 (English)	
		Multilingual response for emergency calls only. Non-emergency calls cannot be serviced at these numbers.	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance	or mixture	
	Classification of the substance	Flam. Liq. 4: H227 Combustible Liquid.	
	Label elemente		
2.2	Label elements	The product is required to be lebelled in secondence with Medel Merk Haalth and Safety	
		The product is required to be labelled in accordance with Model Work Health and Safety Regulations (WHS - GHS 7) Australia.	
	Hazard pictograms		
	Signal word	WARNING	
	Hazard statements	H227 Combustible Liquid.	
	Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. smoking. P264 Wash hands thoroughly after handling. P280 Wear protective gloves / eye protection. P370+P378 In case of fire: Use Water spray, Carbon dioxide, Foam, Dry chemical for 	No

P403+P235 Store in a well-ventilated place. Keep cool.

AUH066 Repeated exposure may cause skin dryness or cracking.

P501 Dispose of contents/container in accordance with local/regional/national/international

extinction.

regulation.

Special labelling

Date printed 09.12.2022, Revision 09.12.2022 Version 04. Supersedes version: 03

Page 2 / 14

MIRKA

2.3 Other hazards

Physico-chemical hazards	Combustible.
Human health dangers	Has a degreasing effect on the skin. Contains no ingredients with endocrine-disrupting properties (≥ 0,1%).
Environmental hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Contains no ingredients with endocrine-disrupting properties (≥ 0,1%).
Other hazards	Further hazards were not determined with the current level of knowledge.

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
5 - < 15	White mineral oil (petroleum)
	CAS: 8042-47-5
5 - < 10	Naphtha (petroleum), hydrotreated heavy
	CAS: 64742-48-9
10 - < 15	Aluminium oxide
	CAS: 1344-28-1

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

SECTION 4: First aid measures

4.1	Description of first aid measures General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to the doctor.

Mirka Ltd

66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03

Page 3 / 14

SEC	ECTION 5: Fire-fighting measures		
5.1	Extinguishing media		
-	Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide	
	Extinguishing media that must not be used	Full water jet.	
5.2	Special hazards arising from the	substance or mixture	
		Risk of formation of toxic pyrolysis products. Not combusted hydrocarbons.	
5.3	Advice for firefighters		
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
	Hazchem Code	not applicable	
SEC	TION 6: Accidental release measu	Ires	
6.1	Personal precautions, protective	e equipment and emergency procedures	
		Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product. Wear suitable protective equipment. For personal protection see SECTION 8.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and material for containment and cleaning up		
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		Use only in well-ventilated areas. Provide suitable vacuuming at the processing machines and in the processing area. Avoid spilling in enclosed areas. Use solvent-resistant equipment. Avoid contact with eyes and skin. Use personal protective equipment.	
		Keep away from all sources of ignition - Refrain from smoking.	
		Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Use barrier skin cream.	



Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03 Page

Page 4 / 14

MIRKA

7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor. Prevent penetration into the ground. Keep only in original container.

Do not store together with oxidizing agents.

Protect from heat/overheating. Keep container in a well-ventilated place. Keep container tightly closed. Keep away from frost. Prevent drying-out.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (AU)

Substance
Naphtha (petroleum), hydrotreated heavy
CAS: 64742-48-9
Time Weighted Average (TWA): 100 ppm, 525 mg/m³, OSHA
White mineral oil (petroleum)
CAS: 8042-47-5
Time Weighted Average (TWA): 5 mg/m ³ , A, Oil mist, refined mineral
Aluminium oxide
CAS: 1344-28-1
Time Weighted Average (TWA): 10 mg/m³, (a)

DNEL

Substance
White mineral oil (petroleum), CAS: 8042-47-5
Industrial, inhalative, Long-term - systemic effects, 164.56 mg/m ³
Industrial, dermal, Long-term - systemic effects, 217.05 mg/kg bw/day
general population, oral, Long-term - systemic effects, 25 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 93.02 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 34.78 mg/m ³

Date printed 09.12.2022, Revision 09.12.2022	Version 04. Supersedes version: 03	Page 5 / 14
Balo printoa 00.12.2022, 11011011 00.12.2022		

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: Tightly fitting goggles (EN 166:2001).
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale dust. Do not inhale vapours. Avoid contact with eyes and skin.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



Mirka Ltd

66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03

Page 6 / 14

MIRKA

SEC	SECTION 9: Physical and chemical properties		
9.1	Information on basic physical and chemical properties		
	Physical state	Liquid	
	Form	nooth (

	Form	pasty
	Color	white
	Odor	mild
	Odour threshold	No information available.
	pH-value	7 - 9
	pH-value [1%]	No information available.
	Boiling point [°C]	No information available.
	Flash point [°C]	> 65 °C / >149 °F
	Flammability (solid, gas) [°C]	not applicable
	Lower explosion limit	No information available.
	Upper explosion limit	No information available.
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	No information available.
	Density [g/cm³]	ca. 1.02
	Relative density	No information available.
	Bulk density [kg/m³]	not applicable
	Solubility in water	miscible
	Solubility other solvents	No information available.
	Partition coefficient [n-octanol/water]	not applicable
	Kinematic viscosity	>20.5 mm²/s (40°C/ 104°F)
	Relative vapour density	No information available.
	Evaporation speed	No information available.
	Melting point [°C]	No information available.
	Auto-ignition temperature	No information available.
	Decomposition temperature [°C]	No information available.
	Particle characteristics	No information available.
•		

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3.

line 12 Polisning Compo

Mirka Ltd 66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03 Page 7 / 14

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.



Mirka Ltd

66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03 Page 8 / 14

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product ATE-mix, oral, > 5000 mg/kg

Substance
Aluminium oxide, CAS: 1344-28-1
LD50, oral, Rat, >5000 mg/kg bw (IUCLID)
White mineral oil (petroleum), CAS: 8042-47-5
LD50, oral, Rat, > 5000 mg/kg
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
LD50, oral, Rat, > 5000 mg/kg bw

Acute dermal toxicity

Product ATE-mix, dermal, > 5000 mg/kg

Substance
White mineral oil (petroleum), CAS: 8042-47-5
LD50, dermal, Rabbit, > 2000 mg/kg
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
LD50, dermal, Rabbit, > 5000 mg/kg bw

Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

LC100, inhalative, Rat, 888 mg/m³/4h White mineral oil (petroleum), CAS: 8042-47-5 LC50, inhalative, Rat, 5 mg/L/4h	Substance	
White mineral oil (petroleum), CAS: 8042-47-5 LC50, inhalative, Rat, 5 mg/L/4h	Aluminium oxide, CAS: 1344-28-1	
LC50, inhalative, Rat, 5 mg/L/4h	LC100, inhalative, Rat, 888 mg/m³/4h	
	White mineral oil (petroleum), CAS: 8042-47-5	
	LC50, inhalative, Rat, 5 mg/L/4h	
Naphtha (petroleum), hydrotreated neavy, CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9	
LD50, inhalativ (vapour), Rat, > 5000 mg/m³	LD50, inhalativ (vapour), Rat, > 5000 mg/m³	

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

S	Substance
A	luminium oxide, CAS: 1344-28-1
n	o adverse effect observed
V	Vhite mineral oil (petroleum), CAS: 8042-47-5
n	o adverse effect observed

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance Aluminium oxide, CAS: 1344-28-1 no adverse effect observed

MIRKA

Mirka Ltd

66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03 Page 9 / 14

MIRKA

White mineral oil (petroleum), CAS: 8042-47-5 no adverse effect observed

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance	
Aluminium oxide, CAS: 1344-28-1	
dermal, non-sensitizing	
inhalative, non-sensitizing	
White mineral oil (petroleum), CAS: 8042-47-5	
no adverse effect observed	

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
in vivo, negativ
in vitro, negativ

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance	
Aluminium oxide, CAS: 1344-28-1	
NOAEC, inhalative, Rat, 75 mg/m ³ , no adverse effect observed	
White mineral oil (petroleum), CAS: 8042-47-5	
NOAEL, oral, Rat, 1200 mg/kg bw/day, no adverse effect observed	

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Aluminium oxide, CAS: 1344-28-1
NOAEL, oral, Rat, 1004 mg/kg bw/d (Effect on developmental toxicity), no adverse effect observed
NOAEL, oral, Rat, 567 mg/kg bw/d (Effect on fertility), no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled. single exposure

Substance
Aluminium oxide, CAS: 1344-28-1
inhalative, no adverse effect observed

Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Frequent persistent contact with the skin can cause skin irritation.
	Toxicological data of complete product are not available.

Mirka Ltd

66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03 Pag

Page 10 / 14

MIRKA

SECTION 12: Ecological information

12.1 Toxicity

Substance
Aluminium oxide, CAS: 1344-28-1
NOEC, (48h), Daphnia magna, >100 mg/L (IUCLID)
NOEC, (72h), Selenastrum capricornutum, >100 mg/L (IUCLID)
White mineral oil (petroleum), CAS: 8042-47-5
LL50, (48h), Daphnia magna, 100 mg/L
LL50, (96h), fish, 100 - 10000 mg/L
Naphtha (petroleum), hydrotreated heavy, CAS: 64742-48-9
EL0, (72h), Pseudokirchneriella subcapitata, 1000 mg/l
EL0, (48h), Daphnia magna, 1000 mg/l
NOELR, (21d), Daphnia magna, 1 mg/l
LL0, (96h), Oncorhynchus mykiss, 1000 mg/l

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	CAS 64742-48-9 - The product is inherently biologically degradable CAS 8042-47-5 - The product is readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment.

CTION 13: Disposal considerations	
Restrictions	There are no product-specific restrictions. However, state and local disposal regulations may apply.
Disposal method	Disposal of this product must comply with the requirements of state and local disposal regulations.
Contaminated packaging	Rinse containers with water before disposal. Preferably re-cycle container, otherwise send to landfill or similar.

Mirka Ltd

66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022



Page 11 / 14

Version 04. Supersedes version: 03

SECTION 14: Transport information 14.1 UN number Transport by land according to not applicable ADR/RID Inland navigation (ADN) not applicable Marine transport in accordance with not applicable IMDG Air transport in accordance with IATA not applicable Australian Code for the Transport of not applicable Dangerous Goods by Road & Rail (ADG) 14.2 UN proper shipping name Transport by land according to NO DANGEROUS GOODS ADR/RID Inland navigation (ADN) NO DANGEROUS GOODS Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS" Australian Code for the Transport of NOT CLASSIFIED AS "DANGEROUS GOODS" Dangerous Goods by Road & Rail (ADG) 14.3 Transport hazard class(es) Transport by land according to not applicable ADR/RID Inland navigation (ADN) not applicable Marine transport in accordance with not applicable IMDG Air transport in accordance with IATA not applicable Australian Code for the Transport of not applicable Dangerous Goods by Road & Rail (ADG)

Mirka Ltd 66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022	Version 04. Supersedes version: 03	Page 12 / 14

14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
	Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG)	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
	Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG)	no
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15:	Regulatory	information
-------------	------------	-------------

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)	not applicable
Applicable prohibitions and notifications/licensing requirements	not applicable
Agricultural and Veterinary Chemicals Act	not applicable
Listing in the Australian Inventory of Chemical Substances (AICS)	All chemical substances in this product are included on Australian Inventory of Industrial Chemicals (Inventory).
Additional information	not applicable



Mirka Ltd

66850 Jeppo

Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03

Page 13 / 14

WIRKD

SECTION 16: Other information

16.1 Abbreviations and acronyms: ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative 16.2 Other information **Classification procedure** Flam. Liq. 4: H227 Combustible Liquid. (Calculation method) SECTION 2 been added: P264 Wash hands thoroughly after handling. Modified position SECTION 2 deleted: P273 Avoid release to the environment. SECTION 2 deleted: Aquatic Chronic 3 SECTION 2 deleted: H412 Harmful to aquatic life with long lasting effects. SECTION 2 been added: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. SECTION 2 been added: Contains no ingredients with endocrine-disrupting properties (≥ 0,1%). SECTION 2 been added: Contains no ingredients with endocrine-disrupting properties (≥ 0,1%). SECTION 2 been added: P102 Keep out of reach of children. SECTION 2 been added: P101 If medical advice is needed, have product container or label at hand SECTION 12 been added: Spillages may penetrate the soil causing ground water contamination SECTION 16 deleted: Calculation method



Date printed 09.12.2022, Revision 09.12.2022

Version 04. Supersedes version: 03 Page 14 / 14