

Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Polarshine 15 Polishing Compound

Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Polishing agent

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company

Address: 29 Production Avenue, Kogarah NSW, Kogarah NSW 2217, Australia

Phone: + 61 2 8036 8478

Address enquiries to

Technical information

Best Abrasives Safety Data Sheet

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

For Chemical Emergency: spill, leak, fire, exposure or accident call CHEMTREC day or Advisory body

night: Within USA and Canada: +1 800 424 9300; Outside USA and Canada: +1 703 527

3887

(collect calls accepted)

CHEMTREC Australia (Sydney): +(61)-290372994 (English)

Multilingual response for emergency calls only.

Non-emergency calls cannot be serviced at these

SECTION 2: Hazards identification

Classification of the substance or mixture

Flam. Liq. 4: H227 Combustible Liquid.

2.2 Label elements

The product is required to be labelled in accordance with Model Work Health and Safety

Regulations (WHS - GHS 7) Australia.

Hazard pictograms

Signal word WARNING

Hazard statements H227 Combustible Liquid.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / protective clothing / eye protection / face protection. P370+P378 In case of fire: Use Water spray, Carbon dioxide, Foam, Dry chemical for

extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulation.

Special labelling AUH066 Repeated exposure may cause skin dryness or cracking.



2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).

Environmental hazards This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels

of 0.1% or higher.

Contains no ingredients with endocrine-disrupting properties ($\geq 0,1\%$).

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	Siliceous Earth
	CAS: 1020665-14-8
15 - < 20	Distillates (petroleum), hydrotreated light
	CAS: 64742-47-8
1 - < 10	White mineral oil (petroleum)
	CAS: 8042-47-5
3 - < 5	Glycerol
	CAS: 56-81-5

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Get medical advice.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.



Mirka Ltd 66850 Jeppo

Date printed 20.12.2022, Revision 28.11.2022 Version 04. Supersedes version: 03

on: 03 Page 3 / 13

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Hazchem Code not applicable

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Avoid spilling in enclosed areas.

Use solvent-resistant equipment.

During mechanical processing vacuuming at processing machines is necessary.

Avoid contact with eyes and skin. Use personal protective equipment.

Keep away from all sources of ignition - Refrain from smoking.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.



Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 4 / 13

7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Protect from heat/overheating.

Keep container in a well-ventilated place.

Keep container tightly closed.

Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (AU)

Substance	
Distillates (petroleum), hydrotreated light	
CAS: 64742-47-8	
Time Weighted Average (TWA): 100 ppm, 525 mg/m³, OSHA	
Glycerol	
CAS: 56-81-5	
Time Weighted Average (TWA): 10 mg/m³, Glycerin mist (a)	
White mineral oil (petroleum)	
CAS: 8042-47-5	
Time Weighted Average (TWA): 5 mg/m³, A, Oil mist, refined mineral	

DNEL

Substance	
White mineral oil (petroleum), CAS: 8042-47-5	
Industrial, inhalative, Long-term - systemic effects, 164.56 mg/m³	
Industrial, dermal, Long-term - systemic effects, 217.05 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 25 mg/kg bw/day	
general population, dermal, Long-term - systemic effects, 93.02 mg/kg bw/day	
general population, inhalative, Long-term - systemic effects, 34.78 mg/m³	



Mirka Ltd 66850 Jeppo

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information. In full contact:

> 0.4 mm : Butyl rubber, >480 min (EN 374-1/-2/-3).

In splash contact:

> 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Protective clothing (EN 340)

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Page 6 / 13

Mirka Ltd 66850 Jeppo

Date printed 20.12.2022, Revision 28.11.2022 Version 04. Supersedes version: 03

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Form pasty
Color yellowish beige

Odor mild

Odour threshold No information available.

pH-value 7-8

pH-value [1%] No information available.

Boiling point [°C]

Flash point [°C] > 65°C />149°F Flammability (solid, gas) [°C] not applicable

Lower explosion limitNo information available.Upper explosion limitNo information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³]ca. 1.4Relative densitynot applicableBulk density [kg/m³]not applicableSolubility in waterdispersible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] not applicable

Kinematic viscosity > 20.5 mm²/s (40°C/104°F)

Relative vapour density No information available.

Evaporation speed No information available.

Melting point [°C] No information available.

Auto-ignition temperature No information available.

Decomposition temperature [°C] No information available.

Particle characteristics No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.



Mirka Ltd 66850 Jeppo

Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 7 / 13

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product

ATE-mix, oral, > 5000 mg/kg

Substance

White mineral oil (petroleum), CAS: 8042-47-5

LD50, oral, Rat, > 5000 mg/kg

Glycerol, CAS: 56-81-5

LD50, oral, Rat, 12600 mg/kg (IUCLID)

Distillates (petroleum), hydrotreated light, CAS: 64742-47-8

LD50, oral, Rat, > 5000 mg/kg bw

Acute dermal toxicity

Product

ATE-mix, dermal, > 5000 mg/kg

Substance

White mineral oil (petroleum), CAS: 8042-47-5

LD50, dermal, Rabbit, > 2000 mg/kg

Glycerol, CAS: 56-81-5

LD50, dermal, Rabbit, > 18700 mg/kg (IUCLID)

Distillates (petroleum), hydrotreated light, CAS: 64742-47-8

LD50, dermal, Rabbit, > 5000 mg/kg bw

Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

White mineral oil (petroleum), CAS: 8042-47-5

LC50, inhalative, Rat, 5 mg/L/4h

Distillates (petroleum), hydrotreated light, CAS: 64742-47-8

LC50, inhalativ (vapour), Rat, > 5000 mg/m³

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

White mineral oil (petroleum), CAS: 8042-47-5

no adverse effect observed

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

White mineral oil (petroleum), CAS: 8042-47-5

no adverse effect observed

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.



Mirka Ltd 66850 Jeppo

Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 9 / 13

Substance

White mineral oil (petroleum), CAS: 8042-47-5

no adverse effect observed

Mutagenicity Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Substance

White mineral oil (petroleum), CAS: 8042-47-5

NOAEL, oral, Rat, 1200 mg/kg bw/day, no adverse effect observed

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Substance

White mineral oil (petroleum), CAS: 8042-47-5

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Specific target organ toxicity -

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Frequent persistent contact with the skin can cause skin irritation.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Substance

White mineral oil (petroleum), CAS: 8042-47-5

LL50, (48h), Daphnia magna, 100 mg/L

LL50, (96h), fish, 100 - 10000 mg/L

Glycerol, CAS: 56-81-5

LC50, (24h), Carassius auratus, > 5000 mg/l

EC50, (72h), Bacteria, > 10000 mg/l

EC50, (48h), Algae, > 2900 mg/l

EC50, (24h), Daphnia magna, > 10000 mg/l

Distillates (petroleum), hydrotreated light, CAS: 64742-47-8

EL0, (48h), Daphnia magna, 1000 mg/l

EL0, (72h), Pseudokirchneriella subcapitata, 1000 mg/l

LL0, (96h), Oncorhynchus mykiss, 1000 mg/l

12.2 Persistence and degradability

Behaviour in environment

No information available.

compartments

No information available.

Behaviour in sewage plant Biological degradability

CAS 56-81-5 - Biodegradable. EG 926-141-6 (CAS 64742-47-8) - Biodegradable.

CAS 8042-47-5 - The product is not readily biodegradable.



Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 10 / 13

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties (≥ 0,1%).

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

Restrictions There are no product-specific restrictions. However, state and local disposal regulations may

apply.

Disposal method Disposal of this product must comply with the requirements of state and local disposal

regulations.

Contaminated packaging Rinse containers with water before disposal. Preferably re-cycle container, otherwise send to

landfill or similar.

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

Australian Code for the Transport of not applicable Dangerous Goods by Road & Rail

(ADG)



Mirka Ltd 66850 Jeppo

Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 11 / 13

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Australian Code for the Transport of NOT CLASSIFIED AS "DANGEROUS GOODS" Dangerous Goods by Road & Rail (ADG)

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

Australian Code for the Transport of not applicable Dangerous Goods by Road & Rail

(ADG)

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with **IMDG**

not applicable

Air transport in accordance with IATA not applicable

Australian Code for the Transport of not applicable **Dangerous Goods by Road & Rail**

(ADĞ)



Mirka Ltd 66850 Jeppo

Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 12 / 13

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

Australian Code for the Transport of no Dangerous Goods by Road & Rail (ADG)

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

Standard for the Uniform Scheduling not applicable

of Medicines and Poisons (SUSMP)

Applicable prohibitions and not applicable

notifications/licensing requirements

Agricultural and Veterinary **Chemicals Act**

Listing in the Australian Inventory of

Chemical Substances (AICS)

All chemical substances in this product are included on Australian Inventory of Industrial

Chemicals (Inventory).

not applicable

Additional information not applicable



Mirka Ltd 66850 Jeppo

Date printed 20.12.2022, Revision 28.11.2022

Version 04. Supersedes version: 03

Page 13 / 13

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure Flam. Liq. 4: H227 Combustible Liquid. (Calculation method)

Modified position none